

Pe-Ha-Guard®

Pe-Ha-Guard® is a superior viscoelastic solution based on hydroxypropylmethylcellulose for extraocular ophthalmic use. It can be used as lubricant and wetting agent with conventional injectors and cartridge systems for intraocular lens implantation or as an auxiliary device for protecting the surface of the cornea during ophthalmic surgeries. As a gliding agent Pe-Ha-Guard® will support the handling and implantation of intraocular lenses.

- Excellent gliding properties
- High compatibility to other viscoelastic substances and BSS
- Easy to use
- Easy to remove
- Sterile (steam)
- Free of preservatives
- CE certified
- Available with special cannula-LCC



Specification: Pe-Ha-Guard® 2.0

Hydroxypropylmethylcellulose	2.0 %
pH	6.8 - 7.4
Osmolality [mOsm/kg]	255 - 345
Volume [ml]	2.5
Shelf life [months]	24

Composition [1 ml]: Pe-Ha-Guard® 2.0

Hydroxypropylmethylcellulose	20.000 mg
Sodium chloride	9.000 mg
Disodium hydrogenphosphate 2 H ₂ O	0.563 mg
Sodium dihydrogenphosphate 2 H ₂ O	0.045 mg

Other components:
HCl or NaOH in a sufficient amount
Water for injection

q.s.